3rd NASA-NIST Workshop on Nanotube Measurements

September 26-28, 2007 Gaithersburg, MD, USA

Raman Spectroscopy and Nanotube Standards



Ado Jorio




Physics Department, UFMG, Belo Horizonte and Materials Division, INMETRO, Rio de Janeiro, BRAZIL

Outline

-The problem of Nano-Metrology (the MSIN07)

-The structural dependence of the RBM in single-wall carbon nanotubes



-The concept of nano-bulk consistency – establishing reference standars



Rio de Janeiro, Brazil June 22th - 2007

Attendance: 80 participants (14 countries)

Brazil - 43

USA - 9

Germany - 7

France – 5

Finland - 4

Mexico – 3

Argentina, Canada, Czech Republic, Italy, Japan, Lithuania, UK and the Netherlands – 1 each

Universities and Research Institutes – 65 Metrology Institutes – 21 (mostly from Inmetro) Industry – 4





MSIN08 (Montpelier) is coming!!!




Applications of Carbon Nanotubes

by M. Endo, M. S. Strano, P. M. Ajayan


Carbon Nanotubes			
Advanced Topics in the Synthesis, Structure, Properties and Applications ② Springer	Large Volume Applications	Limited Volume Applications (Mostly based on Engineered Nanotube Structures)	
Present	 Battery Electrode Additives (MWNT) Composites (sporting goods; MWNT) Composites (ESD* applications; MWNT) *ESD – Electrical Shielding Device 	Scanning Probe Tips (MWNT)Specialized Medical Appliances (catheters) (MWNT)	
Near Term (less than ten years)	 Battery and Super-capacitor Electrodes Multifunctional Composites (3D, damping) Fuel Cell Electrodes (catalyst support) Transparent Conducting Films Field Emission Displays / Lighting CNT based Inks for Printing 	 Single Tip Electron Guns Multi-Tip Array X-ray Sources Probe Array Test Systems CNT Brush Contacts CNT Sensor Devices Electro-mechanical Memory Device Thermal Management Systems 	
Long Term (beyond ten years) - Power Transmission Cables - Structural Composites (aerospace and automobile etc.) - CNT in Photovoltaic Devices		 Nano-electronics (FET,Interconnects) Flexible Electronics CNT based bio-sensors CNT Fitration/Separation Membranes Drug-delivery Systems 	

What are the tube properties?



How are the tubes???

The RBM Resonance Raman Spectra (RRS)



- depend on the diameter distribution in the sample: $\omega_{RBM} = A/d_t + B$


$$\omega_{\mathsf{RBM}} = \mathsf{A}/\mathsf{d}_{\mathsf{t}} + \mathsf{B}$$

- depend on the excitation laser line (E_{laser}): resonance effect


The RBM resonance Raman map is a direct measure of the Kataura plot


P. T. Araujo et al. PRL 98, 067401 (2007)


Measurement ranges: energy - 1.26 to 2.71 eV diameter - 0.7 to 2.3 nm




Sample: SWNTs carpet – CVD Y. Murakami et al. Carbon **43**, 2664 (2005)








(n,m) dependence for SWNTs RRS cross section




Raman (or generally optics) strongly pushes your d_t distribution to lower diameters?

d_t distribution: RRS vs. TEM


Intensity analysis is a very serious issue that requires more work






d_t distribution based on TEM:
 0.8 to 3.0 nm
 average 2.0 nm,
 standard deviation 0.4 nm

Y. Murakami et al. Carbon **43**, 2664 (2005)





Isolated SWNTs with d_t up to 4nm and E_{ii} up to E_{66} and E_{22}



ω_{RBM} vs. d_t

$$F/a = \lambda \delta b/b \rightarrow \omega_{\text{RBM}} = \frac{1}{\pi d_t} (\lambda/\sigma)^{1/2}$$





A = 227.0±0.3 (cm⁻¹nm) exactly the value expected from the elasticity theory and the

speed of sound in


graphite

$$\mathbf{B} = \mathbf{0.3} \pm \mathbf{0.3} \text{cm}^{-1}$$

$$\omega_{\text{RBM}} \to \infty$$
as d₊ \to 0

Comparing the results from the literature

$$\omega_{RBM} = A/d_t + B$$




A	В	# of SWNTs
248(244.5)	0	17 (<i>Jorio</i>)*
242	0	Bundle (<i>Milnera</i>)*
223.5	12.5	10 (Bachilo)
214.4	18.7	48 (Telg)
218.3	16	46 (Fantini)
204	27	11 (Meyer)
218	16	94 (Araujo)
227	0	197 (Araujo)

*Obtained based on simple (firstneighbors) tight binding calculations

Comparing the results from the literature

$$\omega_{RBM} = A/d_t + B$$




d_t	=	$a_{\rm C-C}\sqrt{3(n^2+mn+m^2)}/\pi$	Γ
		$a_{C-C} = 0.142 \mathrm{nm}$	

A	В	# of SWNTs
248(244.5)	0	17 (<i>Jorio</i>)*
242	0	Bundle (Milnera)*
223.5	12.5	10 (Bachilo)
214.4	18.7	48 (Telg)
218.3	16	46 (Fantini)
204	27	11 (<i>Meyer</i>)
218	16	94 (Araujo)
227	0	197 (Araujo)

*Obtained based on simple (firstneighbors) tight binding calculations


Comparing the results from the literature

$$\omega_{\text{RBM}} = 227/d_t + ? \longrightarrow \Delta\omega_{\text{RBM}} = (-16.7) + 22d_t^{0.46}$$




A	В	# of SWNTs
248(244.5)	0	17 (<i>Jorio</i>)*
242	0	Bundle (Milnera)*
223.5	12.5	10 (Bachilo)
214.4	18.7	48 (Telg)
218.3	16	46 (Fantini)
204	27	11 (<i>Meyer</i>)
218	16	94 (Araujo)
227	0	197 (Araujo)

*Obtained based on simple (firstneighbors) tight binding calculations The effect is measurable by looking at one single spectrum




What is the physical origin?

$$\omega_{\rm RBM} = \frac{1}{\pi d_t} (\lambda/\sigma)^{1/2}$$




$$\delta\omega/\omega = -\delta d_t/d_t + (1/2)\delta\lambda/\lambda - (1/2)\delta\sigma/\sigma$$




What is the physical origin?


$$\omega_{\rm RBM} = \frac{1}{\pi d_t} (\lambda/\sigma)^{1/2}$$



$$\delta\omega/\omega = -\delta d_t/d_t + (1/2)\delta\lambda/\lambda - (1/2)\delta\sigma/\sigma$$


Calculations show that divacancies cause an ω_{RBM} upshift of about 5%, as observed experimenally





What is the physical origin?


$$\omega_{\rm RBM} = \frac{1}{\pi d_t} (\lambda/\sigma)^{1/2}$$





$$\delta\omega/\omega = -\delta d_t/d_t + (1/2)\delta\lambda/\lambda - (1/2)\delta\sigma/\sigma$$


NSOM shows localized optical emission

Far-field PL Near-field PL










Summary and conclusions

- All RBM data from the literature have been fitted with ω_{RBM} = A/d_t + B, with arbitrary A and B considerably different from zero
- Thinking of "nano-bulk consistency", this result is unacceptable

- There is a sample where ω_{RBM} = 227/d_t, obeying "nano-bulk consistency" perfectly. Can it be considered a reference



- What is the (n,m) dependence for the Raman cross section?

Acknowledgements

- P. T. Araujo, P. B. C. Pesce, I. O. Maciel, M. A. Pimenta, H. Chacham
- M. S. Dresselhaus group
- R. Saito group
- A. Hartschuh, S. K. Doorn and L. Novotny groups
- D. Resasco, M. Strano, S. Maruyama and K. Hata groups.

Support from NIST

Thank you for your attention!

Please join us at MSIN08 (Montpelier)!!!